


AMENDMENTS TO THE CLAIMS

Please amend claims 1-12, 14, and 18-20 as indicated below. Please also add new claim 21 and cancel claims 13 and 15-17. This listing of claims will replace all prior versions and listings of claims in the application. Deletions appear in ~~strikethrough~~ font, and additions are underlined.

Complete listing of claims

1) (Currently amended) A compound of formula (I):




or a pharmaceutically acceptable salt thereof wherein

- R₁ and R₂ either
 - (a) independently represent :
 - (i) a hydrogen atom
 - (ii) a group selectedchosen from an alkyl, alkenyl or and alkynyl groups, whichwherein each alkyl, alkenyl and alkynyl group is independently are optionally substituted by one or more substituents selectedchosen from halogen atoms, and hydroxy, alkoxy, aryloxy, alkylthio, hydroxycarbonyl, alcoxycarbonyl, mono- or and di-alkylaminoacyl, oxo, amino, and mono- or and di-alkylamino groups;

or

(iii) a group of formula




wherein n is an integer from 0 to 4 and R^6 represents a cycloalkyl or cycloalkenyl group;

or

(b) R_1 and R_2 form, together with the nitrogen atom to which they are attached, a 3- to 8-membered ring comprising from 1 to 4 heteroatoms selectedchosen from nitrogen, oxygen and sulphur, which ring is saturated or unsaturated and optionally substituted by one or more substituents selectedchosen from halogen atoms, ~~and~~ alkyl, hydroxy, alkoxy, acyl, hydroxycarbonyl, alkoxycarbonyl, alkyleneedioxy, amino, mono- or and di-alkylamino, mono- or and di-alkylaminoacyl, nitro, cyano or and trifluoromethyl groups;

- R_3 is a group of formula



wherein n is an integer from 0 to 4 and G represents a monocyclic or bicyclic aryl or heteroaryl group comprising from zero to four heteroatoms which group is optionally substituted by one or more substituents selectedchosen from:

- (i) halogen atoms;
- (ii) alkyl and alkylene groups, which wherein each alkyl and alkylene group are is independently optionally substituted by one or more substituents selected chosen from halogen atoms; and
- (iii) phenyl, hydroxy, hydroxyalkyl, alkoxy, alkylenedioxy, aryloxy, alkylthio, amino, mono- or and di-alkylamino, acylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, cyano, difluoromethoxy or and trifluoromethoxy groups;

- R_4 represents a hydrogen atom, or an alkyl or an aryl group;

with the proviso that it the compound of formula (I) is not 5-methyl-2-phenyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile.

2) (Currently amended) A compound according to claim 1, wherein R_1 and R_2 either:

- a) independently represent hydrogen or a groups selected chosen from an alkyl, alkenyl or and alkynyl groups; wherein each alkyl, alkenyl and alkynyl group independently has having from 1 to 4 carbon atoms and each is independently being optionally substituted by one hydroxy group or a cycloalkyl groups having from 3 to 6 carbon atoms;

or

- b) R_1 and R_2 form, together with the nitrogen atom to which they are attached, a 4- to 6-membered ring having comprising from 1 to 2

heteroatoms ~~selected~~chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or two C₁-C₄ alkyl groups, wherein each C₁-C₄ alkyl group is independently ~~which are themselves~~ unsubstituted or substituted by one hydroxy group.

3) (Currently Amended) A compound according to claim 1, ~~any preceding claim~~ wherein R₁ either:

a) represents a hydrogen atom or an alkyl group having from 1 to 4 carbon atoms

or

b) forms together with R₂ and with the nitrogen atom to which they are attached, a 4- to 6-membered ring ~~comprising~~having from 1 to 2 heteroatoms ~~selected~~chosen from nitrogen and oxygen, which ring is optionally substituted by one or more substituents ~~selected~~chosen from halogen atoms, ~~and~~ alkyl or and acyl groups;

4) (Currently Amended) A compound according to claim 1, ~~any preceding claim~~ wherein R₂ either:


a) represents a group ~~selected~~chosen from an-alkyl, alkenyl, alkynyl, cycloalkyl, hydroxyalkyl or and di-alkylamino groups;

or

b) forms together with R₁ and with the nitrogen atom to which they are attached, a 4- to 6-membered ring comprising from 1 to 2 heteroatoms ~~selected~~chosen from nitrogen and oxygen, which ring is optionally

substituted by one or more substituents selectedchosen from halogen atoms, and alkyl or and acyl groups, ;

5) (Currently Amended) A compound according to claim 1, any preceding claim wherein R₃ represents a group of formula



wherein n is an integer from 0 to 4 and G represents a monocyclic aryl or heteroaryl group comprising zero or one heteroatoms, which aryl or heteroaryl group is optionally substituted by one or more substituents selectedchosen from:

- (i) halogen atoms; and
- (ii) unsubstituted C₁-C₈ alkyl, unsubstituted C₁-C₈ alkoxy, unsubstituted C₁-C₃ alkylenedioxy, nitro, trifluoromethyl and unsubstituted alkoxy carbonyl groups having a C₁-C₈ alkyl portion, ;

6) (Currently Amended) A compound according to claim 1, any preceding claim wherein R₄ is hydrogen, an unsubstituted C₁-C₈ alkyl or an unsubstituted C₅-C₁₄ aryl group.

7) (Currently Amended) A compound according to claim 6, wherein R₄ represents an unsubstituted C₁₄-C₁-C₄ alkyl group.

8) (Currently Amended) A compound according to claim 1, any preceding claim wherein R₃ represents a group selectedchosen from phenyl, pyridyl or and benzyl groups, which wherein the phenyl, pyridyl and benzyl groups are optionally substituted by one or more substituents selectedchosen from:

- (i) halogen atoms; and

(ii) unsubstituted C₁-C₈ alkyl, unsubstituted C₁-C₈ alkoxy, unsubstituted C₁-C₃ alkylenedioxy, nitro, trifluoromethyl and unsubstituted alkoxycarbonyl groups having a C₁-C₈ alkyl portion;

9) (Currently Amended) A compound according to claim 8, wherein R₃ represents a phenyl or benzyl group substituted by one, two or three C₁-C₆ alkoxy groups.

10) (Currently amended) A compound according to claim 9 wherein R₁ represents a hydrogen atom and R₂ represents

(i) a group selected from an alkyl, alkenyl or and alkynyl groups, which are wherein each alkyl, alkenyl and alkynyl group is independently optionally substituted by one or more substituents selected from halogen atoms, and-hydroxy, alkoxy, aryloxy, alkylthio, hydroxycarbonyl, alcoxycarbonyl, mono- or and di-alkylaminoacyl, oxo, amino, and mono- or and di-alkylamino groups; or

(ii) a group of formula

$$-(\text{CH}_2)_n-\text{R}^6$$

wherein n is an integer from 0 to 4 and R⁶ represents a cycloalkyl or cycloalkenyl group.

11) (Currently amended) A compound according to claim 1 chosen from which is one of:

4-(4-Ethylpiperazin-1-yl)-5-methyl-2-phenylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(4-Ethylpiperazin-1-yl)-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-phenylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-phenyl-4-piperidin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-(4-nitrophenyl)-4-piperidin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-piperidin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-(4-nitrophenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-phenyl-4-piperazin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-pyrrolidin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-piperazin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-(4-nitrophenyl)-4-piperazin-1-ylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Dibutylamino)-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Chlorophenyl)-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[Ethyl(methyl)amino]-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(4-nitrophenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Chlorophenyl)-4-(diethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-2-(3,4-dimethoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Dimethylamino)-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Chlorophenyl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(4-Methoxyphenyl)-5-methyl-4-[methyl(prop-2-ynyl)amino]thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)(methyl)amino]-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-4-[ethyl(methyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-(4-methylphenyl)-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-[4-(trifluoromethyl)phenyl]thieno[2,3-d]pyrimidine-6-carbonitrile

4-[Allyl(methyl)amino]-2-(4-methoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-4-[(2-hydroxyethyl)(methyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-2-(4-methylphenyl)-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-[4-(trifluoromethyl)phenyl]thieno[2,3-d]pyrimidine-6-carbonitrile

2-(1,3-Benzodioxol-5-yl)-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(4-methylphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(1,3-Benzodioxol-5-yl)-4-(diethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(1,3-Benzodioxol-5-yl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[Ethyl(methyl)amino]-5-methyl-2-pyridin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[Ethyl(methyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-Benzyl-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-morpholin-4-yl-2-pyridin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)(methyl)amino]-5-methyl-2-pyridin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(1,3-Benzodioxol-5-yl)-4-[(2-hydroxyethyl)(methyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)(methyl)amino]-5-methyl-2-(4-methylphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-pyridin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-4-(dimethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxyphenyl)-5-methyl-4-(propylamino)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-Benzyl-4-(diethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-phenylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-morpholin-4-yl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)methylamino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,5-Dimethoxyphenyl)-5-methyl-4-(4-methylpiperazin-1-yl)-thieno[2,3-d]pyrimidine-6-carbonitrile

4-Diethylamino-2-(3,5-dimethoxyphenyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,5-Dimethoxyphenyl)-4-(ethylmethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(6-Cyano-4-diethylamino-5-methylthieno[2,3-d]pyrimidin-2-yl)-benzoic acid methyl ester

4-[6-Cyano-4-(ethylmethylamino)-5-methylthieno[2,3-d]pyrimidin-2-yl]-benzoic acid methyl ester

2-Benzyl-5-methyl-4-morpholin-4-yl-thieno[2,3-d]pyrimidine-6-carbonitrile

2-Benzyl-4-[(2-hydroxyethyl)methylamino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

Methyl 4-(6-cyano-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidin-2-yl)benzoate

Methyl 4-[6-cyano-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidin-2-yl]benzoate

Methyl 4-[6-cyano-4-(dimethylamino)-5-methylthieno[2,3-d]pyrimidin-2-yl] benzoate

Methyl 4-[6-cyano-4-[(2-hydroxyethyl)(methyl)amino]-5-methylthieno[2,3-d]pyrimidin-2-yl]benzoate

5-methyl-4-(methylamino)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Dimethylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Ethylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(propylamino)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Butylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Isopropylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(sec-Butylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Isobutylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(1-Ethylpropyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(tert-Butylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclopropylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclobutylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclopentylamino)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[Allyl(methyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-[methyl(prop-2-ynyl)amino]-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Methoxyethyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-{{2-(Dimethylamino)ethyl}amino}-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno [2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(3-methylpiperazin-1-yl)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(3,5-Dimethylpiperazin-1-yl)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(4-Acetyl piperazin-1-yl)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Aminoethyl)(methyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

N-[6-Cyano-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidin-4-yl]-beta-alanine

5-Methyl-4-(1H-pyrazol-1-yl)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(1H-Imidazol-1-yl)-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(2H-1,2,3-triazol-2-yl)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(1H-1,2,4-triazol-1-yl)-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-5-methyl-4-(4-methylpiperazin-1-yl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-5-methyl-4-(methylamino)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-(ethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-5-methyl-4-(propylamino)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclopropylamino)-2-(3,4-dimethoxybenzyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclobutylamino)-2-(3,4-dimethoxybenzyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-(dimethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-[ethyl(methyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-2-(3,4-dimethoxybenzyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[Allyl(methyl)amino]-2-(3,4-dimethoxybenzyl)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-5-methyl-4-[methyl(prop-2-ynyl)amino]thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-[(2-hydroxyethyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-[(2-hydroxyethyl)(methyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,4-Dimethoxybenzyl)-4-[(2-methoxyethyl)amino]-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-[[2-(Dimethylamino)ethyl](methyl)amino]-5-methyl-2-(3,4,5-trimethoxyphenyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-morpholin-4-yl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(methylamino)-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Ethylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(propylamino)-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Isopropylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(sec-Butylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(1-Ethylpropyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(tert-Butylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclopropylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclobutylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Dimethylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[Ethyl(methyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[Allyl(methyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-[methyl(prop-2-ynyl)amino]-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Methoxyethyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-[(2-Hydroxyethyl)(methyl)amino]-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-methyl-4-(4-methylpiperazin-1-yl)-2-(2-phenylethyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Cyclobutylamino)-5-methyl-2-(2-phenylethyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(2-phenylethyl)thieno[2,3-d]pyrimidine-6-carbonitrile

5-Methyl-4-(4-methylpiperazin-1-yl)-2-(3-phenylpropyl)thieno[2,3-d]pyrimidine-6-carbonitrile

4-(Diethylamino)-5-methyl-2-(3-phenylpropyl)thieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,5-Dimethoxy-phenyl)-4-[(2-hydroxy-ethyl)-methyl-amino]-5-methyl-thieno[2,3-d]pyrimidine-6-carbonitrile


2-(3,5-Dimethoxy-phenyl)-5-methyl-4-morpholin-4-ylthieno[2,3-d]pyrimidine-6-carbonitrile

2-(3,5-Dimethoxyphenyl)-4-(ethylamino)-5-methylthieno[2,3-d]pyrimidine-6-carbonitrile

4-(Isobutylamino)-5-methyl-2-(3,4,5-trimethoxybenzyl)thieno[2,3-d]pyrimidine-6-carbonitrile


and pharmaceutically acceptable salts thereof.

12) (Currently amended) A process for the preparation of a compound of formula as claimed in claim 1, comprising:



~~wherein R₁, R₂, R₃ and R₄ are as defined in any one of the preceding claims which process comprises:~~


(a) reacting the thienopyrimidinone of formula (VI)




with a chlorinating agent

(b) removing after cooling the excess of chlorinating agent


(c) optionally isolating the chlorothienopyrimidine of formula (VII)



(d) reacting the chlorothienopyrimidine of formula (VII) with an amine (VIII)



~~wherein R₁ and R₂ are as defined in any one of the preceding claims in a closed atmosphere at temperatures ranging from 40°C to 120 °C to produce a compound of formula (I):~~



and

(e) optionally preparing a pharmaceutically acceptable salt from a compound of formula (I).

13) (Cancelled) A compound according to any one of claims 1 to 11 for use in the treatment of a pathological condition or disease susceptible to amelioration by inhibition of PDE7.

14) (Currently Amended) A pharmaceutical composition comprising at least one compound according to claim 1~~any one of claims 1 to 11 mixed with~~ and a pharmaceutically acceptable diluent or carrier.

15) (Cancelled) ~~Use of a compound according to any one of claims 1 to 11, in the manufacture of a medicament for the treatment of a pathological condition or disease susceptible to amelioration by inhibition of PDE7.~~

16) (Cancelled) ~~Use according to claim 15, wherein the medicament is for use in the treatment or prevention of T cell-mediated immune diseases and diseases of the airways.~~

17) (Cancelled) ~~Use according to claim 15, wherein the medicament is for use in the treatment or prevention of a disorder which is asthma, atopic dermatitis, chronic obstructive pulmonary disease, Crohn's disease, type I and type II diabetes, lymphoid leukemia and other forms of cancer, multiple sclerosis, allograft rejection after organ transplantation, psoriasis, rheumatoid arthritis and ulcerative colitis.~~

18) (Currently Amended) A method for treating a subject afflicted with a pathological condition or disease susceptible to amelioration by inhibition of PDE7, ~~which method comprises~~comprising administering to the said subject an effective amount of at least one compound according to any of claims 1 to 11 claim 1.

19) (Currently Amended) A method according to claim 18, wherein the pathological condition or disease is chosen from asthma, atopic dermatitis, chronic obstructive pulmonary disease, Crohn's disease, type I and type II diabetes, lymphoid leukemia and other forms of cancer, multiple sclerosis, allograft rejection after organ transplantation, psoriasis, rheumatoid arthritis, and ulcerative colitis.

20) (Currently Amended) A combination product comprising:

- a) at least one compound according to ~~any one of claims 1 to 11~~ claim 1; and
- b) another at least one compound selectedchosen from (a) PDE4 inhibitors, (b) A_{2A} adenosine receptor antagonists, (c) NSAIDs, (d) COX-2 inhibitors, (e) TNF- α inhibitors and (f) steroids;

for simultaneous, separate or sequential use.

21) (New) A method for the treatment or prevention of T cell mediated immune diseases and diseases of the airways in a subject comprising administering to the said subject an effective amount of at least one compound according to claim 1.

22)(New) A composition comprising:

- a) at least one compound according to claim 1; and
- b) at least one compound chosen from (a) PDE4 inhibitors, (b) A_{2A} adenosine receptor antagonists, (c) NSAIDs, (d) COX-2 inhibitors, (e) TNF- α inhibitors and (f) steroids.